

# SIMPLIFIED INTELLIGENT LIGHTING

Edition  
October 2023



CREST



LIGHTING SIMPLIFIED INSPIRATION AMPLIFIED



# INDEX

06 – 08	About Litomatic
09	About Crest Series
10	Litomatic's Presence
11 – 17	Downlight
18 – 19	Backlit Panel & Frame
20	Surface Downlight
21 – 33	Spotlight
34 – 35	MR-16 Module and Frame
36 – 37	Wall Washer & Surface Spotlight
38 – 39	Zoom Light & Spotlight

# INDEX

40 – 41	Laser Blade
42 – 44	Movable Surface Spotlight
45 – 48	Track Light
49	Slim Surface Spotlight
50 – 53	Mini Spotlight
54 – 55	Footlight
56 – 57	Strip Light
58 – 59	Slim SMPS & Beat SMPS
60 – 61	Scene Mode Controller & Remote
62	Our Clients



## About Litomatic

Established in the year 1992, Kardhar Electric Co. has been into the business of Electricals and Power Cables, fulfilling the demands of Construction Industry, Hotel Industry, Hospitals and Residence etc. With growing demand, we stepped into the LED market. "LITOMATIC", brings you to the world of Simplified Intelligent Lighting, the world which will make our lives more beautiful than ever before.

## Introduction

LITOMATIC, a company focused on Simplified Intelligent Lighting aims to enhance our lives by offering innovative solutions. Recognizing the increasing demand for different color temperatures (CCT) and dimming capabilities in LED lights, we ventured into the world of smart LED lighting. However, we strongly believed that achieving CCT and dimming functionality should be effortless, reliable, and consistent across all age groups and applications. This conviction led us to develop and introduce LITOMATIC to the market in 2016.

Since then, technology has witnessed exponential growth globally, and we have embraced this evolution. As board members, we collectively brainstormed and conceived the concept of marketing Remote Controlled LED lights. This new feature allows users to control their LED lights using a remote, adding convenience and flexibility to the lighting experience.

It is our immense pleasure to introduce ourselves as the Pioneer in initiating the concept of Remote Controlled LED lights of it's kind since 2016.

Litomatic is a leading lighting brand in India, experiencing rapid growth. We boast 200+ dies and extrusion molds to meet robust demands and fuel our accelerated expansion. Our competent R&D team drives innovation, offering cutting-edge technology to our customers. With an in-house powder coating plant, we ensure excellent quality and superior finishes. Housed in a 60,000 sq. ft. facility, we have the infrastructure to deliver outstanding lighting solutions.

- These lights come with high efficiency and are flicker free.
- These lights work on communication protocol : RF 2.4G.
- These LED lights come with dimming range of 10% to 100%.
- These lights can achieve CCT from 2700k to 6500k smoothly
- These lights have 4 various scene modes, which help you to get your customized or desired lighting ambience by just one press on the remote.

We are committed to continuously improving our products and incorporating cutting-edge technologies to meet the ever-evolving needs of our customers. We aim to make lighting simpler, smarter, and more beautiful than ever before.



## LITOMATIC R&D

### **Lighting Innovations: Product Development & Design**

LITOMATIC's expertise shines in luminaire engineering, blending aesthetics and functionality for unrivalled brilliance. Our meticulous approach encompasses the precise selection of light sources, materials with optimal heat sink capacity, and cutting-edge technologies. With a keen focus on achieving the highest standard of lighting emission, each functional prototype serves as a catalyst for refining elements and orchestrating a seamless creative progression. Experience the alchemy of innovation as we illuminate the path to luminaire excellence.

### **Factory Innovations - Crafting Excellence**

At Litomatic, we are dedicated to delivering products that embody contemporary design through exceptional craftsmanship. Our cautious material selection, accurate finishing, and continuous research and development ensure durable and reliable products that elevate the global market. Each creation harmoniously fuses structure, light, and architecture, challenging artistic boundaries.

### **Machining Center - Precision Meets Artistry**

Our cutting-edge machining centers enable us to achieve uncompromising quality, from grinding to precise processing. These high-precision machines play an indispensable role in crafting our finest products.

### **Exquisite Workmanship - Quality and Beauty**

Litomatic lamps are renowned for their superior quality and meticulous manufacturing. From mold manufacturing to die casting, we passionately uphold the highest standards of craftsmanship.

### **Seamless Assembly - Precision and Safety**

Our skilled staff follows strict procedures on electrical and mechanical assembly lines, guaranteeing compliance with regulations. We prioritize electrical safety checks, ensuring the utmost reliability of our luminaires.

### **Packing and Delivery - Global Excellence**

Every Litomatic product undergoes painstaking preparation and packaging, ready to be shipped worldwide. As a trusted brand, Litomatic delivers excellence to customers across numerous countries and regions.





## CRI Technology for Color Accuracy

Color accuracy is crucial in lighting, and the Color Rendering Index (CRI) helps assess how faithfully a light source reveals colors compared to natural light. LED lighting, with its different color temperatures and light variations, directly affects color accuracy. Opting for higher CRI-rated LEDs ensures more accurate color representation. Experience vibrant and true-to-life colors with Litomatic's advanced CRI technology.

## Glare-Free LED Lighting

At Litomatic, we prioritize the ultimate lighting experience with our precision-engineered anti-glare technology. Through meticulous control and innovative design, we ensure secondary optical refraction curves and superior electroplate treatment, resulting in flicker-free, high-performance lighting even in low-light conditions. With a generous beam angle of up to 40°, our luminaires create a serene and comfortable lighting atmosphere, allowing you to enjoy the illumination without any distracting glare.



## LED Chips Illuminating Innovation

LED chips, the heart of modern lighting, revolutionize illumination with advanced technology. These compact semiconductor devices drive efficiency, superior color rendering, and remarkable longevity. Powering smart light bulbs and energy-saving solutions, LED chips redefine lighting experiences. Illuminate your space with efficiency and brilliance using Litomatic's high-quality LED chips.

## Brilliant COB Lighting

Experience flawless lighting with Litomatic's cutting-edge Chip-On-Board (COB) technology. Our COB fixtures deliver even, natural light without double images, creating a clean and dimensionally rich lighting experience. Say goodbye to blurry edges and embrace Litomatic's superior COB lighting for captivating illumination.




# ABOUT CREST SERIES



CREST

Introducing the Crest series by Litomatic, a groundbreaking wave of lighting solutions. Explore captivating and inspiring designs that redefine the capabilities of lighting. To exemplify our dedication to innovation, many Crest series products feature an anti-glare technology for superior comfort and usability. Use the brilliance of Litomatic to illuminate spaces, establishing a new standard for lighting technology. Join us on this journey of extraordinary illumination. Welcome to Crest series, where every detail is meticulously crafted and customer fulfillment is guaranteed. Enter a realm of unparalleled brilliance and encounter radiance as never before.





1<sup>st</sup>  
**PIONEER**  
with this CONCEPT  
SINCE **2016**




## OUR PRESENCE

100+ Cities 300+ Dealers Across India

Ambikapur, Amravati, Amritsar, Agra, Ahmedabad, Ajmer, Anand, Aurangabad, Balgaum, Bareilly, Barmer, Barnala, Baroda, Begusarai, Begur, Bengaluru, Bharuch, Bhatinda, Bhavnagar, Bhawanipatna, Bhilai, Bhilwara, Bhopal, Bhubaneswar, Bikaner, Bokaro, Bilaspur, Chandigarh, Chennai, Cochin, Coimbatore, Dehradun, Dhule, Ernakulam, Faridabad, Firojabad, Gandhidham, Ghaziabad, Goa, Gopalpura, Gorakhpur, Gurgaon, Guwahati, Hanumangarh, Hazaribagh, Hoshiarpur, Hubli, Hyderabad, Indore, Jabalpur, Jaipur, Jalgaon, Jamnagar, Jhalandar, Jind, Jodhpur, Kakinada, Karnal, Kendujhar, Khanna, Kishangarh, Kochi, Kolkata, Kota, Kottayam, Kozhikode, Lucknow, Ludhiana, Madurai, Mandasaur, Mangluru, Mathura, Meerut, Moga, Mumbai, Mysore, Nabha, Nagpur, Nashik, Navi Mumbai, Nawanshahr, New Delhi, Palakkad, Panipat, Patiala, Patna, Prayagraj, Pune, Raipur, Rajkot, Rajsamand, Ranchi, Ratlam, Satara, Secunderabad, Sikar, Siliguri, Siwan, Solapur, Surat, Taleigao, Thane, Thiruvananthapuram, Thrissur, Trichy, Trivandrum, Udaipur, Vadodara, Visakhapatnam, Wazirabad, Yelanahalli.

# DIVINE DOWNLIGHT



**BK** **WH** Body Color Available

Watt	:	12w	18w	24w
Dimension	:	120 x 50mm	155 x 55mm	175 x 55mm
Cut Out	:	110mm	145mm	165mm

CCT (K) : 3000k/4000k/6500k/3000-6500k (Tunable)

Note: 2700/3500/5000k (available on request)

Beam Angle : 110°


CRI : 80/90 (available on request)

Material : Aluminium

LED Brand : Bridgelux / Litomatic



# DIVINE DOWNLIGHT



**BK** **WH** Body Color Available

Watt	:	12w	18w
Dimension	:	110 x 110 x 50mm	145 x 145 x 55mm
Cut Out	:	100 x 100mm	135 x 135mm
CCT (K)	:	3000k/4000k/6500k/3000-6500k (Tunable)	
		Note: 2700/3500/5000k (available on request)	
Beam Angle	:	110°	
CRI	:	80/90 (available on request)	
Material	:	Aluminium	
LED Brand	:	Bridgelux / Litomatic	



# GRACE DOWNLIGHT



**BK** **WH** Body Color Available

Watt	:	12w	18w	24w
Dimension	:	90 x 56mm	100 x 56mm	124 x 55mm
Cut Out	:	85mm	95mm	118mm

CCT (K) : 3000k/4000k/6500k/3000-6500k (Tunable)

Note: 2700/3500/5000k (available on request)

Beam Angle	:	120°
CRI	:	80/90 (available on request)
Material	:	Aluminium
LED Brand	:	Bridgelux / Litomatic



# AQUA DOWNLIGHT



**BK** **WH** Body Color Available

Watt	:	12w	18w	24w
Dimension	:	110 x 22mm	130 x 22mm	160 x 22mm
Cut Out	:	100mm	120mm	145mm

CCT (K) : 3000k/4000k/6500k/3000-6500k (Tunable)  
Note: 2700/3500/5000k (available on request)

Beam Angle : 120°  
CRI : 80/90 (available on request)  
Material : Aluminium  
LED Brand : Bridgelux / Litomatic



# AQUA DOWNLIGHT



**BK** **WH** Body Color Available


Watt	: 12w	18w	24w
Dimension	: 110 x 110 x 22mm	131 x 131 x 22mm	159 x 159 x 22mm
Cut Out	: 98 x 98mm	120 x 120mm	146 x 146mm

CCT (K) : 3000k/4000k/6500k/3000-6500k (Tunable)  
 Note: 2700/3500/5000k (available on request)

Beam Angle : 120°  
 CRI : 80/90 (available on request)  
 Material : Aluminium  
 LED Brand : Bridgelux / Litomatic



# DELIGHT DOWNLIGHT



**BK** **WH** Body Color Available

Watt	:	6w	12w	18w
Dimension	:	84 x 30mm	110 x 30mm	155 x 30mm
Cut Out	:	74mm	100mm	145mm


CCT (K) : 3000k/4000k/6500k/3000-6500k (Tunable)

Note: 2700/3500/5000k (available on request)

Beam Angle	:	120°
CRI	:	80/90 (available on request)
Material	:	Aluminium
LED Brand	:	Bridgelux / Litomatic



# FISCO DOWNLIGHT



**BK** **WH** Body Color Available

Watt : 12w  
Dimension : 110 X 45mm (55mm After Moving)  
Cut Out : 95mm

CCT (K) : 3000k/4000k/6500k/3000-6500k (Tunable)  
Note: 2700/3500/5000k (available on request)


Beam Angle : 110°  
CRI : 80/90 (available on request)  
Material : Aluminium  
LED Brand : Bridgelux / Litomatic





# ORBIT

BACKLIT PANEL



WH Body Color Available

Watt : 36w  
Dimension : 595 X 595 X 40mm  
Cut Out : 575 X 575mm  
  
CCT (K) : 3000k/6500k/3000-6500k (Tunable)  
Beam Angle : 120°  
CRI : 80/90 (available on request)  
Material : M.S. Sheet with Smooth Finish Coating  
LED Brand : Bridgelux / Litomatic



# SOLITAIRE

FRAME



WH Body Color Available

Watt : 36w  
Dimension : 595 X 595 X 16mm  
  
CCT (K) : 3000k/4000k/6500k/3000-6500k (Tunable)  
Beam Angle : 120°  
CRI : 80/90 (available on request)  
Material : Aluminium  
LED Brand : Bridgelux / Litomatic

# IGNITE

SURFACE DOWNLIGHT



**BK** **WH** Body Color Available

Watt : 8w                      15w                      22w  
Dimension : 90 x 75mm      110 x 75mm      125 x 75mm

CCT (K) : 3000k/4000k/6500k/3000-6500k (Tunable)  
Note: 2700/3500/5000k (available on request)

Beam Angle : 110°  
CRI : 80/90 (available on request)  
Material : Aluminium  
LED Brand : Bridgelux / Litomatic



# CRUISE SPOTLIGHT



**BK** **WH** Body Color Available

Watt	: 5-7w	12-15w	20-25w	30-36w
Dimension	: 70 x 65mm	85 x 75mm	95 x 90mm	115 x 105mm
Cut Out	: 60mm	76mm	85mm	105mm
Beam Angle	: 15/24/36/55°	15/24/36/55°	24/36/55°	24/36/55°

CCT (K) : 3000k/4000k/6500k/3000-6500k (Tunable)  
 Note: 2700/3500/5000k (available on request)

CRI : 80/90 (available on request)  
 Material : Aluminium  
 LED Brand : Bridgelux / Litomatic / Cree



# DUKE SPOTLIGHT



**BK** **WH** Body Color Available

Watt	: 5-7w	12-15w	20-25w
Dimension	: 70 x 58mm	85 x 65mm	98 x 90mm
Cut Out	: 63mm	75mm	86mm
Beam Angle	: 15/24/36/55°	15/24/36/55°	24/36/55°

CCT (K) : 3000k/4000k/6500k/3000-6500k (Tunable)  
 Note: 2700/3500/5000k (available on request)

CRI : 80/90 (available on request)  
 Material : Aluminium  
 LED Brand : Bridgelux / Litomatic / Cree



# EXOTIC SPOTLIGHT



**BK** **WH** Body Color Available


Available Inner Reflector : Rose Gold, Gold, Chrome, Gun Metal, Black Nickel

Watt	: 5-7w	12-15w
Dimension	: 74 x 68mm	85 x 78mm
Cut Out	: 65mm	76mm
Beam Angle	: 15/24/36/55°	15/24/36/55°
CCT (K)	: 3000k/4000k/6500k/3000-6500k (Tunable)	
	Note: 2700/3500/5000k (available on request)	
CRI	: 80/90 (available on request)	
Material	: Aluminium	
LED Brand	: Bridgelux / Litomatic / Cree	



# CURVE

MOVABLE SPOTLIGHT



**BK** **WH** Body Color Available


Watt	: 5-7w	12-15w	20-25w	30-36w
Dimension	: 78 x 65mm	88 x 75mm	100 x 98mm	120 x 101mm
Cut Out	: 72mm	80mm	94mm	113mm
Beam Angle	: 15/24/36/55°	15/24/36/55°	24/36/55°	24/36/55°

CCT (K) : 3000k/4000k/6500k/3000-6500k (Tunable)  
 Note: 2700/3500/5000k (available on request)

CRI : 80/90 (available on request)  
 Material : Aluminium  
 LED Brand : Bridgelux / Litomatic / Cree



# HECTOR SPOTLIGHT



**BK** **WH** Body Color Available

Watt : 12-15w  
Dimension : 90 x 95mm  
Cut Out : 80mm


CCT (K) : 3000k/4000k/6500k/3000-6500k (Tunable)  
Note: 2700/3500/5000k (available on request)

Beam Angle : 15/24/36/55°  
CRI : 80/90 (available on request)  
Material : Aluminium  
LED Brand : Bridgelux / Litomatic / Cree





# HARRIER SPOTLIGHT




**BK** **WH** Body Color Available

Watt : 12-15w  
Dimension : 84 x 85mm  
Cut Out : 76mm

CCT (K) : 3000k/4000k/6500k/3000-6500k (Tunable)  
Note: 2700/3500/5000k (available on request)

Beam Angle : 15/24/36/55°  
CRI : 80/90 (available on request)  
Material : Aluminium  
LED Brand : Bridgelux / Litomatic / Cree

# BLAST SPOTLIGHT



**BK** **WH** Body Color Available

Watt : 12-15w  
Dimension : 75 x 58mm  
Cut Out : 65mm

CCT (K) : 3000k/4000k/6500k/3000-6500k (Tunable)  
Note: 2700/3500/5000k (available on request)

Beam Angle : 15/24/36/55°  
CRI : 80/90 (available on request)  
Material : Aluminium  
LED Brand : Bridgelux / Litomatic / Cree

# COMPASS SPOTLIGHT



**BK** **WH** Body Color Available

Watt	: 5-7w	12-15w	20-25w
Dimension	: 60 x 80mm	70 x 95mm	85 x 126mm
Cut Out	: 53mm	62mm	75mm
Beam Angle	: 15/24/36/55°	15/24/36/55°	24/36/55°

CCT (K) : 3000k/4000k/6500k/3000-6500k (Tunable)  
 Note: 2700/3500/5000k (available on request)

CRI : 80/90 (available on request)  
 Material : Aluminium  
 LED Brand : Bridgelux / Litomatic / Cree



# TRUMP SPOTLIGHT



**BK** **WH** Body Color Available

- Watt : 12-15 w / 2 x 12 - 15 w
- Dimension : 83 X 83 X 83 mm / 162 x 83 x 83 mm
- Cut Out : 77 X 77 mm / 155 x 77 mm
  
- CCT (K) : 3000k/4000k/6500k/3000-6500k (Tunable)  
Note: 2700/3500/5000k (available on request)
  
- Beam Angle : 15/24/36/55°
- CRI : 80/90 (available on request)
- Material : Aluminium
- LED Brand : Bridgelux / Litomatic / Cree


# ARC SPOTLIGHT



**BK** **WH** Body Color Available

- Watt : 12-15w
- Dimension : 72 X 75mm
- Cut Out : 66mm
  
- CCT (K) : 3000k/4000k/6500k/3000-6500k (Tunable)  
Note: 2700/3500/5000k (available on request)
  
- Beam Angle : 15/24/36/55°
- CRI : 80/90 (available on request)
- Material : Aluminium
- LED Brand : Bridgelux / Litomatic / Cree

# PASSION SPOTLIGHT



**BK** **WH** Body Color Available

Watt	: 5-7w	12-15w
Dimension	: 80 x 54mm	108 x 70mm
Cut Out	: 68mm	95mm
Beam Angle	: 15/24/36/55°	15/24/36/55°
CCT (K)	: 3000k/4000k/6500k/3000-6500k (Tunable) Note: 2700/3500/5000k (available on request)	
CRI	: 80/90 (available on request)	
Material	: Aluminium	
LED Brand	: Bridgelux / Litomatic / Cree	



# EYE SPOTLIGHT




**BK** **WH** Body Color Available

Watt : 5-7w  
Dimension : 65 x 60mm  
Cut Out : 54mm

CCT (K) : 3000k/4000k/6500k/3000-6500k (Tunable)  
Note: 2700/3500/5000k (available on request)

Beam Angle : 15/24/36/55°  
CRI : 80/90 (available on request)  
Material : Aluminium  
LED Brand : Bridgelux / Litomatic / Cree



# BOOST SPOTLIGHT



**BK** **WH** Body Color Available

Watt	: 5w	7-12w
Dimension	: 40 x 58mm	60 x 88mm
Cut Out	: 35mm	52mm
Beam Angle	: 24/36°	24/36/55°
CCT (K)	: 3000k/4000k/6500k/3000-6500k (Tunable)	
	Note: 2700/3500/5000k (available on request)	
CRI	: 80/90 (available on request)	
Material	: Aluminium	
LED Brand	: Bridgelux / Litomatic / Cree	




# TWIST TRIMLESS SPOTLIGHT




**BK** **WH** Body Color Available

- Watt : 12w  
Dimension : 82 x 80mm  
Cut Out : 82mm
- CCT (K) : 3000k/4000k/6500k/3000-6500k (Tunable)  
Note: 2700/3500/5000k (available on request)
- Beam Angle : 15/24/36/55°  
CRI : 80/90 (available on request)  
Material : Aluminium  
LED Brand : Bridgelux / Litomatic / Cree



# IRIS 360° ROTATING SPOTLIGHT



**BK** **WH** Body Color Available

Watt : 7-12w

Dimension : 90 x 92mm

Cut Out : 82mm

CCT (K) : 3000k/4000k/6500k/3000-6500k (Tunable)

Note: 2700/3500/5000k (available on request)

Beam Angle : 24/36/55°

CRI : 80/90 (available on request)


Material : Aluminium

LED Brand : Bridgelux / Litomatic / Cree





# VISION MR - 16 MODULE



**BK** **WH** Body Color Available

Watt : 12w

Dimension : 49.8 X 68mm

CCT (K) : 3000k/4000k/6500k/3000-6500k (Tunable)


Note: 2700/3500/5000k (available on request)

Beam Angle : 15/24/36/55°

CRI : 80/90 (available on request)

Material : Aluminium

LED Brand : Bridgelux / Litomatic / Cree



# SPARK


MR - 16 TRIMLESS FRAME



**BK** **WH** Body Color Available

Available Inner Reflector : Rose Gold, Chrome, Black

Watt : MR -16 Trimless Frame  
Dimension : 91 x 46mm  
Cut Out : 91mm  
Material : Aluminium with PC Reflector



# GLOW WALL WASHER



**BK** **WH** Body Color Available

Watt	:	12w	20w
Dimension	:	85 x 70mm	108 x 86mm
Cut Out	:	72mm	92mm
CCT (K)	:	3000k/4000k/6500k/3000-6500k (Tunable) Note: 2700/3500/5000k (available on request)	
Beam Angle	:	60°	
CRI	:	80/90 (available on request)	
Material	:	Aluminium	
LED Brand	:	Bridgelux / Litomatic / Cree	



# DESIRE

SURFACE SPOTLIGHT



**BK** **WH** Body Color Available

Watt	:	7w	12w	20w
Dimension	:	56 x 75mm	64 x 85mm	70 x 95mm
Beam Angle	:	15/24/36/55°	15/24/36/55°	24/36/55°

CCT (K) : 3000k/4000k/6500k/3000-6500k (Tunable)

Note: 2700/3500/5000k (available on request)

CRI : 80/90 (available on request)

Material : Aluminium

LED Brand : Bridgelux/Litomatic/Cree



# WONDER ZOOM LIGHT



**BK** **WH** Body Color Available

Watt	:	12w	20/30w	36w
Dimension	:	113 x 92mm	138 x 120mm	165 x 160mm
Cut Out	:	100mm	125mm	150mm

CCT (K) : 3000k/4000k/6500k/3000-6500k (Tunable)  
 Note: 2700/3500/5000k (available on request)

Beam Angle : 38°  
 CRI : 80/90 (available on request)  
 Material : Aluminium  
 LED Brand : Bridgelux / Litomatic / Cree



# POLO SPOTLIGHT



**BK** **WH** Body Color Available

Watt	:	7w	12w	20w	30w	40w
Dimension	:	86 x 32mm	114 x 42mm	142 x 50mm	168 x 60mm	227 x 70mm
Cut Out	:	76mm	100mm	130mm	155mm	200mm


CCT (K) : 3000k/4000k/6500k/3000-6500k (Tunable)

Note: 2700/3500/5000k (available on request)


Beam Angle	:	45°
CRI	:	80/90 (available on request)
Material	:	Aluminium
LED Brand	:	Bridgelux / Litomatic / Cree




# LOOP LASER BLADE



Watt	:	4w	6w	8w
Dimension	:	52 x 32 x 40mm	62 x 32 x 40mm	52 x 52 x 40mm
Cut Out	:	46 x 26mm	56 x 26mm	46 x 46mm





Watt	:	10w	15w	20w
Dimension	:	108 x 32 x 40 mm	71 x 71 x 40mm	204 x 32 x 40mm
Cut Out	:	102 x 26mm	65 x 65mm	198 x 26mm




**BK** **WH** Body Color Available

CCT (K)	:	3000k/4000k/3000-6500k (Tunable)
Beam Angle	:	30°
CRI	:	80/90 (available on request)
Material	:	Aluminium
LED Brand	:	Bridgelux / Litomatic / Cree

# STREAK LASER BLADE



Watt	:	4w	12w
Dimension	:	52 x 52 x 56mm	128 x 52 x 56mm
Cut Out	:	42 x 42mm	120 x 42mm



Watt	:	16w	20w
Dimension	:	90 x 90 x 56mm	205 x 52 x 56mm
Cut Out	:	80 x 80mm	195 x 42mm

**BK** **WH** Body Color Available

CCT (K)	:	3000k/4000k/6500k/3000-6500k (Tunable)
Beam Angle	:	38°
CRI	:	80/90 (available on request)
Material	:	Aluminium
LED Brand	:	Bridgelux / Litomatic / Cree



# CORE

MOVABLE SPOTLIGHT



**BK** **WH** Body Color Available

Watt : 12w  
Dimension : 54 x 80mm      OD : 60 x 30mm  
CCT (K) : 3000k/4000k/6500k/3000-6500k (Tunable)  
Note: 2700/3500/5000k (available on request)  
Beam Angle : 36°  
CRI : 80/90 (available on request)  
Material : Aluminium  
LED Brand : Bridgelux / Litomatic / Cree

# CORE SURFACE MOVABLE SPOTLIGHT




**BK** **WH** Body Color Available

Watt : 12w  
Dimension : 54 x 80mm                      OD : 54 x 30mm  
  
CCT (K) : 3000k/4000k/6500k/3000-6500k (Tunable)  
          Note: 2700/3500/5000k (available on request)  
  
Beam Angle : 36°  
CRI : 80/90 (available on request)  
Material : Aluminium  
LED Brand : Bridgelux / Litomatic / Cree

# GLINT

SURFACE MOVABLE SPOTLIGHT



**BK** **WH** Body Color Available

Watt : 12w  
Dimension : 50 X 170mm  
CCT (K) : 3000k/4000k/6500k/3000-6500k (Tunable)  
Note: 2700/3500/5000k (available on request)  
Beam Angle : 38°  
CRI : 80/90 (available on request)  
Material : Aluminium  
LED Brand : Bridgelux / Litomatic / Cree




# FORCE TRACKLIGHT



**BK** **WH** Body Color Available

Watt : 12w 20/30w  
Dimension : 170 X 60 X 151mm 160 X 150 X 80mm  
CCT (K) : 3000k/4000k/6500k/3000-6500k (Tunable)  
Note: 2700/3500/5000k (available on request)  
Beam Angle : 24/38°  
CRI : 80/90 (available on request)  
Material : Aluminium  
LED Brand : Bridgelux / Litomatic / Cree



# CHARGE TRACKLIGHT



**BK** **WH** Body Color Available

Watt	:	12w	20w	30w
Dimension	:	168 x 120 x 50mm	190 x 135 x 65mm	220 x 155 x 76mm
Beam Angle	:	15/24/36/55°	24/36/55°	24/36/55°

CCT (K) : 3000k/4000k/6500k/3000-6500k (Tunable)  
Note: 2700/3500/5000k (available on request)

CRI : 80/90 (available on request)  
Material : Aluminium  
LED Brand : Bridgelux / Litomatic / Cree

# FLARE TRACKLIGHT




**BK** **WH** Body Color Available

Watt : 30w  
Dimension : 165 X 115 X 185mm  
Beam Angle : 90°

CCT (K) : 3000k/4000k/6500k/3000-6500k (Tunable)  
Note: 2700/3500/5000k (available on request)

CRI : 80/90 (available on request)  
Material : Aluminium  
LED Brand : Bridgelux / Litomatic / Cree



# TRACK

TRACK CHANNEL



**BK** **WH** Body Color Available

## DIMENSIONS

1meter : 1000 X 35 X 18mm  
1.5meter : 1500 X 35 X 18mm  
2meter : 2000 X 35 X 18mm


# GLIDE SLIM SURFACE SPOTLIGHT



**BK** **WH** Body Color Available

**IP54**  
RATED  


Watt	: 3w	5w
CCT (K)	: 2200k/3000k/4000k/6500k	3000k
Dimension	: 60 X 16mm	
Beam Angle	: 110°	
CRI	: 80/90 (available on request)	
Material	: Aluminium	
LED Brand	: Litomatic	





# COMPASS SPOTLIGHT

**BK** **WH** Body Color Available



Watt : 3w  
Dimension : 40 X 44 mm  
Cut Out : 32 mm  
Beam Angle : 15/24°  
  
CCT (K) : 3000k/4000k  
CRI : 80/90 (available on request)  
Material : Aluminium  
LED Brand : Bridgelux / Litomatic / Cree

# BOAT SPOTLIGHT


**BK** **WH** Body Color Available



Watt : 3w  
Dimension : 40 x 30mm  
Cut Out : 32mm  
Beam Angle : 15/24°  
  
CCT (K) : 3000k/4000k  
CRI : 80/90 (available on request)  
Material : Aluminium  
LED Brand : Bridgelux / Litomatic / Cree

# PEARL SPOTLIGHT

**BK** **WH** Body Color Available



Watt : 3w  
Dimension : 50 x 35mm  
Cut Out : 44mm  
Beam Angle : 15/24°  
  
CCT (K) : 3000k/4000k  
CRI : 80/90 (available on request)  
Material : Aluminium  
LED Brand : Bridgelux / Litomatic / Cree

# CRUISE SPOTLIGHT



**BK** **WH** Body Color Available

Watt : 3w  
Dimension : 40 X 35 mm  
Cut Out : 32 mm  
Beam Angle : 15/24°  
  
CCT (K) : 3000k/4000k  
CRI : 80/90 (available on request)  
Material : Aluminium  
LED Brand : Bridgelux / Litomatic / Cree

# DUKE SPOTLIGHT



**BK** **WH** Body Color Available

Watt : 3w  
Dimension : 40 x 29mm  
Cut Out : 32mm  
Beam Angle : 15/24°  
  
CCT (K) : 3000k/4000k  
CRI : 80/90 (available on request)  
Material : Aluminium  
LED Brand : Bridgelux / Litomatic / Cree

# BLAST SPOTLIGHT



**BK** **WH** Body Color Available

Watt : 3w  
Dimension : 40 X 26 mm  
Cut Out : 32 mm  
Beam Angle : 15/24°  
  
CCT (K) : 3000k/4000k  
CRI : 80/90 (available on request)  
Material : Aluminium  
LED Brand : Bridgelux / Litomatic / Cree

# ATOM SPOTLIGHT



**BK** **WH** Body Color Available

Watt : 5w  
Dimension : 50 X 45 mm  
Cut Out : 43 mm  
Beam Angle : 40°  
  
CCT (K) : 3000k/4000k/6500k/3000-6500k (Tunable)  
CRI : 80/90 (available on request)  
Material : Aluminium  
LED Brand : Bridgelux / Litomatic / Cree

# SENSE SPOTLIGHT



**BK** **WH** Body Color Available

Watt : 3w  
Dimension : 46 x 60mm  
Cut Out : 43mm  
Beam Angle : 25°  
  
CCT (K) : 3000k/4000k  
CRI : 80/90 (available on request)  
Material : Aluminium  
LED Brand : Bridgelux / Litomatic / Cree

# ZEST SPOTLIGHT



**BK** **WH** Body Color Available

Watt : 3w  
Dimension : 40 x 32mm  
Cut Out : 33mm  
Beam Angle : 30°  
  
CCT (K) : 3000k/4000k  
CRI : 80/90 (available on request)  
Material : Aluminium  
LED Brand : Bridgelux / Litomatic / Cree

# HAMMER SPOTLIGHT



**BK** **WH** Body Color Available

Watt : 3w  
Dimension : 36 X 45 mm  
Cut Out : 30 mm  
CCT (K) : 3000k/4000k  
Beam Angle : 25°  
CRI : 80/90 (available on request)  
Material : Aluminium  
LED Brand : Bridgelux / Litomatic / Cree


# STRIKE SPOTLIGHT



**BK** **WH** Body Color Available

Watt : 3w  
Dimension : 40 x 36mm  
Cut Out : 36mm  
CCT (K) : 3000k/4000k  
Beam Angle : 25°  
CRI : 80/90 (available on request)  
Material : Aluminium  
LED Brand : Bridgelux / Litomatic / Cree


# BRIO FOOTLIGHT



**BK** **WH** Body Color Available

Watt : 3w  
Dimension : 45 X 24 mm  
Cut Out : 35 mm  
Beam Angle : 120°  
  
CCT (K) : 3000k/4000k  
CRI : 80/90 (available on request)  
Material : Aluminium  
LED Brand : Bridgelux / Litomatic / Cree


# EDGE FOOTLIGHT



**BK** **WH** Body Color Available

Watt : 3w  
Dimension : 45 X 24 mm  
Cut Out : 35 mm  
Beam Angle : 180°  
  
CCT (K) : 3000k/4000k  
CRI : 80/90 (available on request)  
Material : Aluminium  
LED Brand : Bridgelux / Litomatic / Cree


# GUSTO FOOTLIGHT



**BK** **WH** Body Color Available

Watt : 3w  
Dimension : 45 X 24 mm  
Cut Out : 35 mm  
CCT (K) : 3000k/4000k  
CRI : 80/90 (available on request)  
Material : Aluminium  
LED Brand : Bridgelux / Litomatic / Cree


# DASH FOOTLIGHT



**BK** **WH** Body Color Available

Watt : 3w  
Dimension : 45 x 24mm  
Cut Out : 35mm  
CCT (K) : 3000k/4000k  
CRI : 80/90 (available on request)  
Material : Aluminium  
LED Brand : Bridgelux / Litomatic / Cree

# BEAT STRIP LIGHT



## COMING SOON

Watt	:	6w/mtr. (8mm)	12w/mtr. (5mm)	12w/mtr. (8mm)	18w/mtr. (5mm)
Size	:	2835 (60 LED/mtr.)	2835 (120 LED/mtr.)	2835 (120 LED/mtr.)	2835 (180 LED/mtr.)
		18w/mtr. (10mm)	24w/mtr. (10mm)		
		2835 (180 LED/mtr.)	2835 (240 LED/mtr.)		

CCT (K) : 3000k/4000k/6500k  
 Note: 2700/3500/5000k (available on request)

Beam Angle : 120°  
 Voltage : 12/24v  
 IP Rating : IP20  
 CRI : 80/90 (available on request)  
 LED Brand : Bridgelux / Litomatic

# BEAT STRIP LIGHT (TUNABLE)



COMING SOON

Watt	:	12w/mtr. (8mm)	18w/mtr. (10mm)	24w/mtr. (10mm)
Size	:	2835 ( 120 LED/mtr.)	2835 (180 LED/mtr.)	2835 (240 LED/mtr.)
CCT (K)	:	3000k - 6500k (Tunable)		
Beam Angle	:	120°		
Voltage	:	12/24v		
IP Rating	:	IP20		
CRI	:	80/90 (available on request)		
LED Brand	:	Bridgelux / Litomatic		




# SLIM S M P S



Watt / Amp	:	24w / 2Amp	60w / 5Amp
Dimension	:	190 x 18 x 16mm	315 x 18 x 16mm
Voltage	:	12 v	

# BEAT S M P S



Voltage : 12v

Watt / Amp : 60w / 5Amp

Dimension : 150 x 53 x 22mm

100w / 8.5Amp

195 x 53 x 22mm

120w / 10Amp

226 x 53 x 22mm

Watt / Amp : 150w / 12.5Amp

Dimension : 250 x 53 x 22mm

200w / 16.5Amp

282 x 53 x 22mm

Voltage : 24v

Watt / Amp : 60w / 2.5Amp

Dimension : 150 x 53 x 22mm

100w / 4.1Amp

145 x 49 x 29mm

120w / 5Amp


226 x 53 x 22mm

# SCENE MODE CONTROLLER



# MULTIFUNCTIONAL

REMOTE CONTROLLER



# OUR CLIENTS

**RAMADA**

**Radisson**  
HOTELS & RESORTS

**ananta**  
Hotels & Resorts

**Hilton**  
HOTELS & RESORTS

**H**  
Holiday Inn

**THE WESTIN**

**SAYAJI**  
Since 1968

**COURTYARD**  
BY HARRIOTT

**Howard Johnson**  
BY WYNDHAM

**KALHAAR**  
Spices & Convents

**ITC HOTELS**  
RESPONSIBLE LUXURY

**EFFINGUT**  
Liquor & Beverages

**tapri**  
the tea house

**MALL OF JAIPUR**  
CELEBRATIONS OF LIFE

**PHOENIX**  
MARKET CITY  
Pune

**nexus**  
CELEBRATION

**MIRAJ**  
GROUP

**SECURE**

**ARTEN**  
SPACE

**I. EVO**

**RK MARBLE**

**haique**  
ELEVATED LIVING

**KALYAN**  
JEWELLERS

**D.P. Jewellers**  
— A HOUSE OF TRUST SINCE 1968 —  
A VENTURE OF D.P. ARBUSHAN LIMITED

**STATUS OF UNITY**

**kotak**  
Kotak Mahindra Bank

**बैंक ऑफ बड़ोदा**  
Bank of Baroda

**Bank of India**

**firstery**  
A Division of Mahindra.com

**PETER ENGLAND**

**zari**

**Klub Fox**

**Rustomjee**

**madame**

**JAIPUR RUGS**

**OZONE**  
FOR A SAFER WORLD

**Mahindra**

**TATA**

**HYUNDAI**

**MORRIS GARAGES**  
Since 1924

**hero**

**INDIRA IVF**  
FERTILITY & IVF CENTRE

**zydus**  
Dedicated To Life

**Vedantaa**  
— INSTITUTE OF MEDICAL RESEARCH —  
VEDANTAA HOSPITAL & RESEARCH CENTRE

**Apollo**  
PHARMACY

**VIJAYA**  
medical centre

**Eris**  
POWER OF EMPATHY  
TRUTH OF SCIENCE

**Olive**  
HEALTHCARE



WHERE LIGHT  
**BECOMES THE  
MASTERPIECE**

[www.litomatic.com](http://www.litomatic.com)

**Head Office**

Plot No. : E1-228, RIICO Industrial Area,  
Opp. Urban Square Mall, Sukher, Udaipur - 313001 (Raj.)

**E-mail**

[info@litomatic.com](mailto:info@litomatic.com)